

	Hits	Search Text	DBs
1	22299 4	key.ab. and (@pd < "20010216" or @ad < "20010216" or @rlad < "20010216" or @rlpd<"20010216")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	1530	S1 and (first adj key).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	1042	S2 and (second adj key).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	1530	(first adj key).ab. and (@pd < "20010216" or @ad < "20010216" or @rlad < "20010216" or @rlpd<"20010216")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	22299 4	key.ab. and (@pd < "20010216" or @ad < "20010216" or @rlad < "20010216" or @rlpd<"20010216")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	1530	S5 and (first adj key).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	1042	S6 and (second adj key).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	91	S7 and record	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	1	S8 and (input adj2 record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	91	S7 and record	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	27	S7 and record.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	9	S12 and (input or entry).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	72	S7 and access.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	21	S7 and (data adj entry)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	4	S5 and (first adj key adj field).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	2	S15 and (second adj key adj field).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	15	S5 and (first adj key adj field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	9	S17 and (second adj key adj field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>19</b>	709	S5 and (key adj field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
<b>20</b>	156	S19 and (data adj (entry or input))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
<b>21</b>	36	S19 and (data adj (entry or input)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
<b>22</b>	4760	S5 and (data adj (entry or input)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
<b>23</b>	108	S22 and (first adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
<b>24</b>	70	S23 and (second adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
<b>25</b>	5	S24 and (key adj field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
<b>26</b>	11366	S5 and access.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
<b>27</b>	354	S26 and issu\$5.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
<b>28</b>	94	S27 and ((data adj entry) or input)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
<b>29</b>	9	S28 and (first adj 'key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
<b>30</b>	0	S30 and (develop\$5 NEAR3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
<b>31</b>	9	S29 and (second key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
<b>32</b>	6	S29 and (second adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
<b>33</b>	185	S26 and (issu\$5 with key).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
<b>34</b>	12	S33 and (first adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
<b>35</b>	10	S34 and (second adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
<b>36</b>	13	"5520603"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
<b>37</b>	24	"5220603"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
<b>38</b>	2	"5220603".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>39</b>	25	(developer adj key) and (@pd < "20010216" or @ad < "20010216" or @rlad < "20010216" or @rlpd<"20010216")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>40</b>	0	S39 and (license adj agreement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>41</b>	12	S39 and license	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>42</b>	556	(license adj agreement) and (@pd < "20010216" or @ad < "20010216" or @rlad < "20010216" or @rlpd<"20010216")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>43</b>	8	S42 and (developer NEAR2 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>44</b>	25	S39 and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>45</b>	0	S39 and "key.ab"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>46</b>	0	S39 and "key.ab."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>47</b>	347	S42 and (user with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>48</b>	32	S47 and (common near2 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>49</b>	23	S47 and (common adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB